



KONICA MINOLTA

AccurioPrint
950i

**PRODUCTIVE
MEETS SMART**
RETHINK EFFICIENCY



Giving Shape to Ideas

SMART FACTORY PRINTING

In today's fast-paced enterprises, simple operability and high-quality performance are preconditions to achieving maximum efficiency and completing all office work quickly and without fuss. At the same time, the full integration with cloud services should provide the right processes at the right time to build more convenient workflows. The AccurioPrint 950i offers all this and more. On top, it is equipped with the latest security technology to ensure a reliably safe user environment.

Grow your business

We place great importance on empowering you to grow your business with our solutions. For instance, the two monochrome devices help enhance diversity with its extensive variety of supported media, from thin to thick paper (up to 300 g/m²). They also process envelopes and prints on long sheets of up to 1200 mm in simplex.

Maximise your investment

We want to make sure that you get the most out of your AccurioPrint – that's why we have changed the user interface and made it entirely customizable for more convenience. Combine your printing system with various inline finishing capabilities and produce more than ever, with idle times kept to a minimum.

Improve customer loyalty

Equipped with an innovative media sensor, the device automatically detects paper type and weight and reliably applies the right settings – which guarantees an optimized output quality. The sensor also detects envelopes saving time and minimizing the need for operator intervention. A new paper cabinet allows mixed-size paper loading, further enhancing user convenience.

THE ULTIMATE IN DIGITAL CONNECTIVITY

RETHINK TECHNOLOGY

Achieving a level of durability and build solidity never before seen on an entry level production printer, the AccurioPrint 950i has been designed to perform and is built to last. Outstanding print stability is achieved thanks to multiple improvements to basic functionality. The i-Series' signature stylish and simple look is married with the ultimate in digital connectivity to create an office environment that supports your work from page one to page infinity.

Intuitive operability

Operate the AccurioPrint like a smartphone or tablet with fully customized user interface.

Productivity

Reliability, high-speed scanning and printing, combined with powerful finishing functions.

Security

Secure network integration, data encryption, hard drive overwrite, and advanced user authentication.

Mobile connectivity

Print anytime from anywhere with Konica Minolta's innovative mobile technologies.

TAKE LEADERSHIP AND RESPONSIBILITY

RETHINK TOMORROW'S BUSINESS

MADE FOR YOUR BUSINESS

The AccurioPrint 950i is designed to provide all the functionality of a small-scale print shop, all combined into a single unit suitable for an office space. This makes it ideal for a wide range of offices, government, legal, education, membership organizations and healthcare. As a AccurioPrint, the 950i offers an entirely digitized workspace, providing smooth workflow and managed content services that make it the ideal choice for a broad range of situations.

DESIGNED FOR OUR PLANET

Konica Minolta promotes sustainable development and integrates environmental and social perspectives into its business strategies. You can rely on Konica Minolta products to underpin your green strategy to build your business.

Committed to help prevent global warming, Konica Minolta strives to reduce CO₂ emissions during product manufacture, product distribution, at the sales stage, and during product use – with even stricter targets than demanded by the Kyoto Protocol. Enabling carbon neutrality, Konica Minolta offers its customers the offset of unavoidable CO₂ emissions for production printing. Together with the experts from Climate Partner, Konica Minolta proposes a new and profound eco concept for our professional production presses.

YOUR ADVANTAGES WITH THE AccurioPrint 950i

RETHINK PRODUCTION PRINTING

READY-MADE PRINT PRODUCTS

- 20-sheet booklet making
- 100-sheet stapling
- For highest automation and enormous productivity

HIGHEST RELIABILITY

- Long-lasting parts and consumables
- For prints with maximum efficiency
- For lucrative short-run printing

DURABLE PERFORMANCE

- Up to 95 A4 pages per minute
- Up to 48 A3 pages per minute

GEARED-UP FINISHING

- Stacking for up to 3,000 sheets
- Letter fold-in
- Minimized operator intervention
- For optimized budgets

NEW APPLICATIONS INCLUDED AS STANDARD ON AccurioPrint 950i

- Copy-frame erasing
- Book copy
- Memory RX box
- Secure print
- ID copy card



HIGH-END PRINT CONTROL

- Internal controller
- For intuitive operation
- To save time and money

EASE OF USE

- Innovative 10-inch capacitive colour touch screen panel
- Pop-up windows open for all function settings
- Seamless integration into document workflows:
 - For maximum ease of use
 - Frees operators for more important jobs
 - OpenAPI and IWS support

SOPHISTICATED MEDIA HANDLING

- Automatic media recognition
- New intelligent media sensor
- Up to 6,650 sheets paper input capacity
- Up to 6 paper input trays
- For enhanced overall productivity

PERFECT IMAGE QUALITY

- True 1,200 x 1,200 dpi resolution
- Simitri® V toner technology
- For new print applications

ENVIRONMENTAL AWARENESS

- For reduced environmental impact
- Improved efficiency based on green values

COMPREHENSIVE MEDIA PROCESSING

- Up to 300 g/m² paper weight in simplex and duplex printing
- Long sheet size of up to 1,200mm
- Envelope printing
- For highly flexible print products
- To stand out from the competition



CUSTOMER BENEFITS



Intuitive operability
Operate the bizhub like a smartphone or tablet with fully customised user interface



Security
Secure network integration, data encryption, hard drive overwrite, and advanced user authentication



Application ecosystem
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



Productivity
Reliability, high-speed scanning and printing, combined with powerful finishing functions



Services
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



Sustainability
Numerous eco features reduce energy consumption and costs

OPTIONS

1 ENHANCED FEATURES

- Voice guidance
LK-104v3
- Barcode fonts
LK-106
- Unicode fonts
LK-107
- OCR A and B fonts
LK-108
- Document converter pack
LK-110v2
- ThinPrint® client
LK-111
- Serverless pull printing
LK-114
- Trusted Platform Module
LK-115v2
- Antivirus
LK-116
- T.38 IP fax
LK-117



2 CONNECTIVITY

- Fax board
FK-516 x2
- Wireless LAN
UK-221
- USB I/F kit
EK-610 OR
- USB I/F kit with Bluetooth
EK-611
- Biometric authentication
AU-102 OR
- Card authentication
ID card reader
- Mount kit
MK-735

3 OTHERS

- Working table
WT-506 OR
- Upright panel
WT-519
- 10-Key pad
KP-102
- Security kit
SC-509
- Replacement SSD
EM-908
- Keyboard holder
KH-102

4 MEDIA INPUT

- Large capacity tray
LU-303 OR
- Large capacity tray
LU-205
- Banner tray
MK-715

5 MEDIA OUTPUT

- Output tray
OT-508 OR
- Staple finisher
FS-539 OR
- Relay unit
RU-515 OR
- Booklet finisher
FS-539SD
- Relay unit
RU-515
- Punch kit for FS-539/SD
PK-524
- Staple finisher
FS-540 OR
- Relay unit
RU-515 OR
- Booklet finisher
FS-540SD
- Relay unit
RU-515
- Punch kit for FS-540/SD
PK-526
- Post inserter for FS-540/SD
PI-507 OR
- Job separator for FS-540/SD
JS-602
- Z-fold unit for FS-540/SD
ZU-609

LEGEND

- Option
- This option can only be installed with the respective option above it

FINISHING FUNCTIONALITIES

- Corner stapling
- Two-point stapling
- Two-hole punching
- Four-hole punching
- Duplex
- Combined mixplex/mixmedia
- Half-fold
- Sheet insertion, report
- Letter-fold
- Booklet
- Offset sorting
- Z-fold
- Banner printing
- Corner Stapling (offline)

TECHNICAL SPECIFICATIONS

RETHINK INNOVATION

DESCRIPTION

ENHANCED FEATURES

LK-104v3 Voice guidance	Supports voice guidance
LK-106 Barcode fonts	Supports barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and OCR
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-114 Serverless pull printing	Secure and Follow Me printing solution requiring no server application
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
LK-117 T.38 IP Fax	Fax over IP networks (T.38), requires fax kit

CONNECTIVITY

FK-516 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-610 USB I/F kit	USB keyboard connection
EK-611 USB I/F kit	USB keyboard connection; Bluetooth
AU-102 Biometric authentication	Finger vein scanner
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

OTHERS

WT-506 Working table	Authentication device placement
WT-519 Upright panel	Working table for upright panel
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function
EM-908 Replacement SSD	1 TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard

MEDIA INPUT

LU-303 Large capacity tray	3,000 sheets, A4, 52-256 g/m ²
LU-205 Large capacity tray	2,500 sheets, A4-SRA3, 52-256 g/m ²
Banner paper guide	Multipage banner paper feeding

MEDIA OUTPUT

OT-508 Output tray	Output tray used instead of finisher
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
FS-540 Staple finisher	100 sheets stapling; 3,200 sheets max. output
FS-540SD Booklet finisher	100 sheets stapling; 20 sheets booklet finisher; 2,700 sheets max. output
PK-526 Punch kit for FS-540/SD	2/4 hole punching; autoswitching
RU-515 Relay unit	For FS-539/SD or FS-540/SD installation
PI-507 Post inserter for FS-540/SD	Cover insertion; post finishing
JS-602 Job separator for FS-540/SD	Separation of fax output; etc.
ZU-609 Z-fold unit for FS-540/SD	Z-fold for A3 prints

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 95 ppm
System speed A3	Up to 48 ppm
Autoduplex speed A4	Up to 95 ppm
1st page out time A4	3.2 sec.
Warm-up time	Less than 55 sec.
Imaging technology	Laser
Toner technology	Simitri® V polymerised toner
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
ADF double feed detection	Standard
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	3,650 sheets / 6,650 sheets (standard/max)
Paper tray input (standard)	1x 500; A6-A3; custom sizes; 52-256 g/m ² 1x 500; A5-SRA3; custom sizes; 52-256 g/m ² 1x 1,500; A5-A4; 52-256 g/m ² 1x 1,000; A5-A4; 52-256 g/m ²
Large capacity tray (optional)	1x 3,000; A4; 52-256 g/m ² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m ²
Manual bypass	150 sheets; A6-SRA3; custom sizes, banner; 60-300 g/m ²
Finishing modes (optional)	Offset; Group; Sort; Staple; Staple (offline); Punch; Half-fold; Letter-fold; Booklet; Post insertion; Z-fold
Automatic duplexing	A6-SRA3; 52-256 g/m ²

SYSTEM SPECIFICATIONS

Output capacity	Up to 200 sheets / up to 3,300 sheets (standard/max)
Stapling	Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m ²)
Stapling output capacity	Max. 200 sets
Letter fold	Max. 3 sheets
Letter fold capacity	Max. 50 sets; unlimited (without tray)
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m ²)
Booklet output capacity	Max. 35 booklets; unlimited (without tray)
Power consumption	220-240 V / 50/60 Hz; Less than 2.40 kW
System dimension (W x D x H)	670 x 820 x 1227 mm incl. ADF @
System weight	Approx. 202.0 kg (incl. ADF)

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5e/c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.13 or later; Linux
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; PDF/A 1a and 1b; PDF encryption; Digital signature; XPS; Compact XPS; PPTX optional: Searchable PDF; Searchable DOCX/XLSX
Scan destinations	2,000 destinations + 100 groups; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A3
Magnification	25-400% in 0.1% steps; Auto-zooming

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 single + 100 groups

Konica Minolta Business Solutions Asia Pte Ltd

10 Teban Gardens Crescent
Singapore 608923
Tel: +65 6895 8595
Fax: +65 6561 9879
Email: sales@konicaminolta.sg
www.konicaminolta.com

PRESENCE IN THE REGION

BANGLADESH . BRUNEI . CAMBODIA . INDONESIA . LAOS . MALAYSIA . MAURITIUS . MYANMAR . PHILIPPINES . SINGAPORE . SRI LANKA . THAILAND . VIETNAM

About Konica Minolta Business Solutions Asia

Konica Minolta Business Solutions Asia, based in Singapore, is a wholly owned subsidiary of Konica Minolta Inc., Tokyo, Japan. With its expertise in imaging, data processing and data-based decision making, Konica Minolta creates relevant solutions for its customers and solves issues faced by society.

As a digital workplace solution provider, Konica Minolta helps its clients to identify and unlock the potential digitalisation to help companies reach the next level in the digital maturity of their organisation by rethinking the workplace.

Konica Minolta's Igniting Print Possibilities offering helps printers, converters and brand owners maximize workflow automation to increase efficiency. The company delivers consultancy in all communication matters as well as top-of-the-line production, packaging and label printers. Its finishing devices create print products that stand out and create added value. Konica Minolta has established itself as the production printing market leader for more than a decade (InfoSource).

With its commitment to the Sustainable Development Goals (SDGs), Konica Minolta has pledged to consistently pursue its sustainability and social responsibility goals. The company has been repeatedly recognized for its rich history of social contribution as well as for working towards achieving the SDGs throughout its business and is listed among "2021 Global 100 Most Sustainable Corporations in the World", also having received the highest level in EcoVadis Sustainability Ratings.

Worldwide, the company has over 43,000 employees and is operating in over 150 countries.

Our organisation is certified according to ISO27001, ISO9001, ISO14001 and ISO13485 standards.

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

SYSTEM FEATURES

Security	ISO15408 Common Criteria (application in progress); IP filtering and port blocking; SSL3 and TLS1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Hard drive overwrite; Hard drive data encryption (AES 256); Confidential fax; Print user data encryption optional: Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy)
Accounting	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition; Authentication by mobile device (Android) optional: Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (iOS)
Software	Data Administrator; Driver Packaging Utility; Log Management Utility

¹ Warm-up time may vary depending on the operating environment and usage

² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- All information stated in the brochure is correct at time of printing and subject to change without notice.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



Please scan for more information on AccurioPrint 950i

