




KONICA MINOLTA

bizhub 227i/207i

A3 Monochrome Multifunctional Printers

bizhub i-SERIES

SIMPLICITY AT WORK



227i

BW 22 PPM

207i

BW 20 PPM

Giving Shape to Ideas

CONTROL PANEL

Easy to understand and easy to use.
One-touch buttons for speedy operation.

Get to the Point

Find your way around in moments with an intuitive layout and large buttons. Useful functions such as ID Copy and Duplex Printing have been assigned their own hard keys, so there's no need to scroll through menus to find what you need.




SECURITY

Protect your information and keep your office environment secure.


SMTP Authentication

Enables the sending of documents via e-mail with authentication by an SMTP enabled server.



Watermark Your Documents

Ensure your documents are clearly labelled to help prevent them falling into the wrong hands. Choose from a range of watermark options to suit the purpose of your document.



Account Tracking

Enable Account Track to prevent unauthorised users from using the bizhub and tracks the volume of copying.

ACCOUNT NO. : ---
Input=10Key

Secure Print

Password is required at the bizhub itself before a document will print. This prevents confidential documents from being accessed by unauthorised users.



*Passwords can be set in the range 0000~9999.

SCAN & FAX

Digitise your documents in colour and to designated path quickly.

Duplex Scan

The optional Reverse Automatic Document Feeder (DF-633) scans multi-page, double-sided documents with ease, keeping your digital files organised and saving you time to re-order.

Digitise in Colour


Digitise your documents quickly and easily. Scan up to 20 pages per minute* in full colour or 55 images per minute in black & white. You may store the scanned document in JPEG, PDF or TIFF to your preferred designation.

*20 ipm is the speed when equipped with optional Reverse Automatic Document Feeder DF-633 at 150dpi.

Sent in Seconds with G3 Fax

With optional Fax Kit (FK-510) and Extended Operation Panel (MK-750) you can send faxes in as little as 3 seconds via high-speed G3 faxing.

Scan to Your Destination



Internet Fax

Save on running costs by using Internet Fax to send your documents via your existing internet connection.

Requires optional Fax Kit (FK-510) and Extended Operation Panel (MK-750).

COPY & PRINT

Plenty of useful layout options to keep your documents organised.


Handy Booklets

Easily collate your multi-page documents into a booklet with Booklet Print.



Get Everyone on the Same Page


Print multiple pages onto one sheet with N-up Print. Collate 2 or 4 pages into one.



Double Up

The Auto Duplex Unit (AD-509) enables Duplex Print and Duplex Copy to help you save paper.

*AD-509 is optional to bizhub 207i



OPTIONS

- 1 OTHERS

Document feeder
DF-633

Original cover
OC-512

Duplex unit¹
AD-509
- 2 CONNECTIVITY

Fax kit
FK-510

Extended operation panel
MK-750
- 3 MEDIA INPUT

Paper tray²
PF-507

Copy desk (large)
DK-706

Copy desk (medium)²
DK-707

Copy desk (small)²
DK-708



LEGEND

Mandatory option

Option

This option can only be installed with the respective option above it

¹ bizhub 227i comes with AD-509
² Not applicable to bizhub 207i

FINISHING FUNCTIONALITIES



Duplex

DESCRIPTION

CONNECTIVITY

FK-510 Fax kit	Super G3 fax
MK-750 Extended operation panel	Needed for fax function and scan one-touch destinations

OTHERS

DF-633 Document feeder	Reversing automatic document feeder, capacity 130 originals
OC-512 Original cover	Cover instead of ADF
AD-509 Duplex unit	For duplex printing and copying

MEDIA INPUT

PF-507 Paper tray ^{3,4}	250 sheets, B5-A3, 64-90 g/m ²
DK-706 Copy desk (large)	Install with 1x PF-507
DK-707 Copy desk (medium) ⁴	Install with 2x PF-507
DK-708 Copy desk (small) ⁴	Install with 3x or 4x PF-507

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4 227i/207i	Up to 22ppm/ up to 20ppm
System speed A3	Up to 8 ppm
Autoduplex speed A4 227i/207i	Up to 15ppm(16ppm ¹)/ up to 15ppm
1st page out time A4 227i/207i	6.5 sec or less
Warm-up time	15 sec ² or less
Imaging technology	Laser
Toner technology	Simitri® polymerised toner
Panel size/resolution	5 line LCD / 128 x 64
System memory	256 MB
Interface	10/100-Base-T Ethernet; IEEE 802.11 a/b/g/n/ac; USB 2.0
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP
Automatic document feeder (optional)	Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF
Printable paper size	A5-A3; customized paper sizes
Printable paper weight	64-157 g/m ²
Paper input capacity (standard/max)	350 sheets / 1,350 sheets ⁴
Paper tray input	1x 250 sheets; A5-A3; custom sizes; 64-157 g/m ²
Paper tray input ⁴ (optional)	1x 250 sheets; B5-A3; custom sizes; 64-90 g/m ² (up to 4x)
Manual bypass	100 sheets; A5-A3; custom sizes; 64-157 g/m ²
Automatic duplexing	A5-A3; 64-90 g/m ²
Output capacity	Up to 250 sheets
Power consumption	220-240 V / 50/60 Hz; Less than 1.30 kW
System dimension (W x D x H) 227i/207i	615 x 570 x 458 mm (without options)
System weight 227i/207i	29.7kg/28.2kg (without options)

PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi
Page description language	GDI
Operating systems	Windows 10 (32/64); Windows 11 (32/64); Windows Server 2012; Windows Server 2012 R2; vWindows Server 2016; Windows Server 2019; Windows Server 2022; Linux

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	150dpi : up to 55/20 ipm in simplex 300dpi : up to 55/8 ipm in simplex
Scan resolution	up to 600 x 600 dpi
Scan functions	Scan-to-eMail; Scan-to-SMB; Scan-to-FTP; Scan-to-USB; TWAIN scan
File formats	JPEG; TIFF; PDF
Scan destinations	Up to 32 one-touch destinations ⁵ ; 250 speed dials ⁵ ; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-999
Original format	Max. A3
Magnification	25-400% in 0.1% steps; Auto-zooming

FAX SPECIFICATIONS

Fax standard (optional)	Super G3
Fax transmission	Analogue; PC-Fax; i-Fax
Fax resolution	Up to 408 x 392 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations ⁵	32 destinations; 250 speed dials

SYSTEM FEATURES

Accounting	Up to 50 user accounts
------------	------------------------

¹ When feeding from PF-507

² Warm-up time may vary depending on the operating environment and usage

³ Install up to 4x PF-507 on bizhub 227i

⁴ Not applicable to bizhub 207i

⁵ Extended operational panel MK-750 is required



Konica Minolta Business Solutions Asia Pte Ltd

21 Media Circle
#08-01 Infinite Studios
Singapore 138562
Tel: +65 6563 5533
Fax: +65 6561 9879
Email: sales@konicaminolta.sg
www.konicaminolta.com

PRESENCE IN THE REGION

BANGLADESH . BRUNEI . CAMBODIA . INDONESIA . LAOS . MALAYSIA . MAURITIUS . MYANMAR . PHILIPPINES . SINGAPORE . SRI LANKA . THAILAND . VIETNAM

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.