

# **bizhub** 4000i

# Black & White A4 printer









# **CUSTOMER BENEFITS**




Mobile connectivity Print anytime from anywhere with Konica Minolta's innova-tive mobile technologies



Services
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

# **OPTIONS**



\* Install up to 2x paper trays, mix and match.





# **FINISHING FUNCTIONALITIES**



Duplex

## **DESCRIPTION**

### **MEDIA INPUT**

| PF-P23 Paper tray | 250 sheets, A4, 60-120 g/m <sup>2</sup> |
|-------------------|---|
| PF-P24 Paper tray | 520 sheets, A4, 60-120 g/m <sup>2</sup> |

## **TECHNICAL SPECIFICATIONS**

### SYSTEM SPECIFICATIONS

| 0.0120120011                 |   |
|------------------------------|---|
| System speed A4              | Up to 40 ppm  |
| Autoduplex speed A4          | Up to 20 ppm  |
| 1st page out time A4         | 7.2 sec.  |
| Warm-up time                 | Approx. 25 sec. <sup>1</sup>                              |
| Imaging technology           | Laser   |
| Toner technology             | Polymerized Toner   |
| Panel size/resolution        | 1 line LCD  |
| System memory                | 256 MB (standard/max)                                     |
| Interface                    | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n |
| Network protocols            | TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP; HTTP(S)       |
| Printable paper size         | A6-A4; customized paper sizes                             |
| Printable paper weight       | 60-120 g/m <sup>2</sup>                                   |
| Paper input capacity         | 570 sheets / 1,610 sheets (standard/max)                  |
| Paper tray input (standard)  | 1x 520; A6-A4; 60-120 g/m <sup>2</sup>                    |
| Paper tray input (optional)  | PF-P23 1x 250 sheets; A5-A4; 60-120 g/m² (up to 2x)       |
|                              | PF-P24 1x 520 sheets; A5-A4; 60-120 g/m² (up to 2x)       |
| Manual bypass                | 50 sheets; A6-A4; custom sizes; 60-200 g/m²               |
| Automatic duplexing          | A4; 60-105 g/m <sup>2</sup>                               |
| Output capacity              | Up to 150 sheets  |
| Duty cycle (monthly)         | Rec. 5,000 pages; Max. <sup>2</sup> 100,000 pages         |
| Toner lifetime               | Black up to 12,000 pages                                  |
| Imaging unit lifetime        | Black up to 50,000 pages (imaging unit)                   |
| Power consumption            | 220-240 V / 50/60 Hz; Less than 640 W                     |
| System dimension (W x D x H) | 373 x 388 x 287 mm (without options)                      |
| System weight                | Approx. 12.4 kg (without options)                         |
|                              |   |

### PRINTER SPECIFICATIONS

| Print resolution          | 1200 x 1200 dpi   |
|---------------------------|---|
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS                              |
| Operating systems         | Windows 10 (32/64); Windows 11 (32/64);                       |
|                           | Windows Server 2016;  |
|                           | Windows Server 2019; Windows Server 2022;                     |
|                           | MacOS 10.16 or later; Linux                                   |
| Printer fonts             | 85 PCL Latin; 66 PostScript 3 Emulation Latin                 |
| Mobile printing           | Mopria (Android); Konica Minolta Print Service (Android);     |
|                           | Konica Minolta Mobile Print (iOS/Android); WiFi Direct        |
| SYSTEM FEATURES           |   |
| Security                  | SSL2; SSL3 and TLS1.0/1.1/1.2 network communication;          |
|                           | IPsec support; IEEE 802.1x support; Secure print; Kerberos    |
| Accounting                | Active Directory support (user name + password + e-mail + smb |
|                           | folder)   |
| Software                  | Net Care Device Manager; Web Connection;                      |
|                           | Driver Packaging Utility                                      |

- All specifications refer to A4-size paper of 80 g/m² quality.
   The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
  particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing  $variables\ including\ page\ coverage,\ page\ size,\ media\ type,\ continuous\ or\ intermittent\ printing,\ ambient\ temperature\ and$ humidity.
- Some of the product illustrations contain optional accessories.
   Specifications and accessories are based on the information available at the time of printing and are subject to change
- without notice.
  Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

<sup>&</sup>lt;sup>1</sup> Warm-up time may vary depending on the operating environment and usage

 $<sup>^{\</sup>rm 2}$  If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed







### Konica Minolta Business Solutions Asia Pte Ltd

21 Media Circle #08-01 Infinite Studios Singapore 138562 Tel: +65 6563 5533 Fax: +65 6561 9879

Email: sales@konicaminolta.sg www.konicaminolta.com

# PRESENCE IN THE REGION

BANGLADESH . BRUNEI . CAMBODIA . INDONESIA . LAOS . MALAYSIA . MAURITIUS . MYANMAR . PHILIPPINES . SINGAPORE . SRI LANKA . THAILAND . VIETNAM





# **bizhub** 4020i

# Black & White A4 multifunctional





# **CUSTOMER BENEFITS**




Mobile connectivity Print anytime from anywhere with Konica Minolta's innova-tive mobile technologies



Services
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

# **OPTIONS**



<sup>\*</sup> Install up to 2x paper trays, mix and match.



# LEGEND Mandatory option Option This option can only be installed with the respective option above it

# **FINISHING FUNCTIONALITIES**



Duplex

### **DESCRIPTION**

### **MEDIA INPUT**

| PF-P23 Paper tray | 250 sheets, A4, 60-120 g/m <sup>2</sup> |
|-------------------|---|
| PF-P24 Paper tray | 520 sheets, A4, 60-120 g/m <sup>2</sup> |

## **TECHNICAL SPECIFICATIONS**

### SYSTEM SPECIFICATIONS

| STOTEM STECHTOR HOUSE        |   |
|------------------------------|---|
| System speed A4              | Up to 40 ppm  |
| Autoduplex speed A4          | Up to 20 ppm  |
| 1st page out time A4         | 9.2 sec.  |
| Warm-up time                 | Approx. 27 sec. <sup>1</sup>                            |
| Imaging technology           | Laser   |
| Toner technology             | Polymerized Toner                                       |
| Panel size/resolution        | 3.7" / 432 x 240  |
| System memory                | 256 MB (standard/max)                                   |
| Interface                    | 10/100-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n     |
| Network protocols            | TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP; HTTP(S)     |
| Automatic document feeder    | Up to 50 originals; A6-A4; 64-90 g/m²; ADF              |
| Printable paper size         | A6-A4; customized paper sizes                           |
| Printable paper weight       | 60-120 g/m <sup>2</sup>                                 |
| Paper input capacity         | 300 sheets / 1,340 sheets (standard/max)                |
| Paper tray input (standard)  | 1x 250; A6-A4; 60-120 g/m <sup>2</sup>                  |
| Paper tray input (optional)  | PF-P23 1x 250 sheets; A5-A4; 60-120 g/m² (up to 2x)     |
|                              | PF-P24 1x 520 sheets; A5-A4; 60-120 g/m² (up to 2x)     |
| Manual bypass                | 50 sheets; A6-A4; custom sizes; 60-200 g/m <sup>2</sup> |
| Automatic duplexing          | A4; 60-105 g/m <sup>2</sup>                             |
| Output capacity              | Up to 150 sheets  |
| Duty cycle (monthly)         | Rec. 5,000 pages; Max. <sup>2</sup> 100,000 pages       |
| Toner lifetime               | Black up to 12,000 pages                                |
| Imaging unit lifetime        | Black up to 50,000 pages (imaging unit)                 |
| Power consumption            | 220-240 V / 50/60 Hz; Less than 645 W                   |
| System dimension (W x D x H) | 435 x 427 x 486 mm (without options)                    |
| System weight                | Approx. 16.8 kg (without options)                       |
|                              |   |

| PRINTER SPECIFICATIONS    |   |
|---------------------------|---|
| Print resolution          | 1200 x 1200 dpi   |
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS                          |
| Operating systems         | Windows 10 (32/64); Windows 11 (32/64;                    |
|                           | Windows Server 2016; Windows Server 2019;                 |
|                           | Windows Server 2022;                                      |
|                           | MacOS X 10.16 or later; Linux                             |
| Printer fonts             | 85 PCL Latin; 66 PostScript 3 Emulation Latin             |
| Mobile printing           | Mopria (Android); Konica Minolta Print Service (Android); |
|                           | Konica Minolta Mobile Print (iOS/Android); WiFi Direct    |

### SCANNER SPECIFICATIONS

| Up to 24/20 ipm in simplex (mono/colour)              |
|---|
| Up to 1,200 x 1,200 dpi                               |
| Scan-to-eMail (Scan-to-Me); Scan-to-FTP; Scan-to-USB; |
| TWAIN scan; WIA scan                                  |
| JPEG; TIFF; PDF; XPS; PDF/A 1b                        |
| LDAP support  |
|   |

### COPIER SPECIFICATIONS

| Copy resolution | 600 x 600 dpi                       |
|-----------------|-------------------------------------|
| Gradation       | 256 gradations                      |
| Multicopy       | 1-999                               |
| Original format | Max. A4                             |
| Magnification   | 25-400% in 1.0% steps: Auto-zooming |

### **FAX SPECIFCIATION**

| Fax standard     | Super G3                     |
|------------------|------------------------------|
| Fax transmission | Analogue; i-Fax              |
| Fax compression  | MH; MR; MMR; JBIG            |
| Fax modem        | Up to 33.6 Kbps              |
| Fax destinations | 299 destinations + 20 groups |

### SYSTEM FEATURES

| Security   | SSL2; SSL3 and TLS1.0/1.1/1.2 network communication;          |
|------------|---|
|            | IPsec support; IEEE 802.1x support; Secure print; Kerberos    |
| Accounting | Active Directory support (user name + password + e-mail + smb |
|            | folder)   |
| Software   | Web Connection; Driver Packaging Utility                      |

- All specifications refer to A4-size paper of 80 g/m² quality.
   The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a
  particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing
  variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
   Specifications and accessories are based on the information available at the time of printing and are subject to change
- without notice.
  Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

<sup>&</sup>lt;sup>1</sup> Warm-up time may vary depending on the operating environment and usage

<sup>&</sup>lt;sup>2</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed







## Konica Minolta Business Solutions Asia Pte Ltd

21 Media Circle #08-01 Infinite Studios Singapore 138562 Tel: +65 6563 5533 Fax: +65 6561 9879

Email: sales@konicaminolta.sg www.konicaminolta.com

## PRESENCE IN THE REGION

BANGLADESH . BRUNEI . CAMBODIA . INDONESIA . LAOS . MALAYSIA . MAURITIUS . MYANMAR . PHILIPPINES . SINGAPORE . SRI LANKA . THAILAND . VIETNAM

